


Strut profile 30x30



31.375

Product description

[Quick & Easy profile finishes](#)

[Introduction to strut profiles](#)

Technical data

[Quick & Easy profile finishes](#)


Dimensions

Strut profile 30x30

30x30

$A = 3,1 \text{ cm}^2$
 $I_x = 2,8 \text{ cm}^4$
 $I_y = 2,8 \text{ cm}^4$
 $W_x = 1,8 \text{ cm}^3$
 $W_y = 1,8 \text{ cm}^3$
 $I_t = 0,29 \text{ cm}^4$
 $W_t = 0,33 \text{ cm}^3$
 $m = 0,9 \text{ kg/m}$

19178



Ordering codes

The following caps with holes are needed:

30x30 signal gray (1 item)

30x30 black (1 item)

The following cover caps are needed:

30x30 signal gray (1 item)

30x30 black (1 item)

	L			ESD	No.
	mm				
Strut profile 30x30	50 ... 6070		1		3842990720
Strut profile 30x30 M8/-	50 ... 6000		1		3842990721
Strut profile 30x30 M8/M8	80 ... 6000		1		3842990723
Strut profile 30x30 M8/D11	70 ... 6000		1		3842990724
Strut profile 30x30 D7,8/D7,8	60 ... 6000		1		3842992965
Strut profile 30x30 D11/-	50 ... 6000		1		3842990722
Strut profile 30x30 D11/D11	60 ... 6000		1		3842990725
Strut profile 30x30 D11/D11V	60 ... 6000		1		3842990726
Strut profile 30x30, 20xL=6070 mm	6070	20			3842557206
Strut profile 30x30 Q&E	50 ... 6070		1		3842993703
Cover cap 30x30, signal gray			100		3842548744

	L			ESD	No.
	mm				
Cover cap 30x30, black			20		3842548745
Cover cap with hole 30x30, signal gray			20		3842548774
Cover cap with hole 30x30, black			20		3842548775
Strut profile 30x30	6070		1		3842557216

Quick & Easy profile finishes

Standard profile finishes (note minimum length)	M8 / D7.8 / D11 / DB11
Customized profile finishes (L _{max} = 4900 mm) ¹⁾	DI / DIS / MT / MTS / MI / MIS / DG

1) DG_{max} = 45°; L_{min1} / L_{min2} = 352 / 404 mm